

RE: EMJ's Transloading Facility Follow-up Meeting

[Delete](#) [Reply](#) [Reply all](#) [Forward](#)

AE

Amy Essig Desai <aedesai@farallonconsulting.com>

[Mark as unread](#)

Wed 4/9/2014 1:39 PM

To: Chu Rebecca; ☐ Ryan Barth <rbarth@anchorqea.com>;**Cc:** ☐ Hoffman, Erika; ☐ Dyer, Miles (mdyer@JorgensenForge.com) (mdyer@JorgensenForge.com);☐ Gilbert Leon (gleon@emjmetals.com);Preliminary DRAFT RAW...
567 KBPPM 700 S Rivside Tran...
228 KB2 attachments (795 KB) [Download all](#) [Save all to OneDrive](#) — Environmental Protection Agency (EPA)

Becky,

Please find attached:

- Revised transload facility figure that depicts various BMPs with footnotes describing each BMP;
- Summary table describing the various BMPs that will be employed at the PPM Yard; and
- Link to the animated video showing the transload process <http://youtu.be/dgbkJ6OTAYA>.

All PPM employees that work within the zones of the Yard that could come into contact with transloaded materials will have the appropriate HAZWOPER certifications with updated 8-hour refresher training.

Let me know if you have any questions.

Thanks,
Amy

From: Chu Rebecca [mailto:Chu.Rebecca@epa.gov]**Sent:** Tuesday, April 08, 2014 10:48 AM**To:** Amy Essig Desai; Ryan Barth**Cc:** Hoffman, Erika**Subject:** RE: EMJ's Transloading Facility Follow-up Meeting

Sounds like a plan.

Thanks

Becky

Rebecca Chu | Remedial Project Manager
United States Environmental Protection Agency
Region 10
1200 Sixth Ave Suite 900
ECL-111
Seattle, WA 98101
(206) 553-1774 
chu.rebecca@epa.gov

From: Amy Essig Desai [<mailto:aedesai@farallonconsulting.com>]

Sent: Tuesday, April 08, 2014 10:31 AM

To: Chu Rebecca; Ryan Barth

Cc: Hoffman, Erika

Subject: RE: EMJ's Transloading Facility Follow-up Meeting

Becky,

10:30 am on Thursday works. Ryan is out until Thursday but has been coordinating with PPM, and we are planning to provide you today the following information to support EPA's transload evaluation of PPM's yard:

- Revised transload facility figure that depicts various BMPs with footnotes describing each BMP;
- Link to the animated video showing the transload process;
- Comprehensive summary table describing the various BMPs that will be employed at the PPM Yard.

I would prefer to hold on providing excerpts from the Transload, Transport, and Disposal Work Plan (Appendix H to the Removal Action Work Plan), since it will be submitted to EPA in its entirety this coming Tuesday, April 15. Duly noted on the King County Discharge Authorization and confirmation on PPM personnel HAZWOPER training.

Let me know if you think we should still meet on Thursday after you receive the other information today, I have the time blocked for now, or if we should wait until next week after you receive the RAWP and have a little time to look and the Transload, Transport, and Disposal Work Plan (App H).

Thanks,
Amy

From: Chu Rebecca [<mailto:Chu.Rebecca@epa.gov>]

Sent: Tuesday, April 08, 2014 10:10 AM

To: Amy Essig Desai; Ryan Barth

Cc: Hoffman, Erika

Subject: EMJ's Transloading Facility Follow-up Meeting

Hi Amy and Ryan

I wanted to check in on the follow-up meeting about the transloading facility. Before we have the next meeting, we really need to have schematics of the transloading facility and how the material will be trans-loaded and moved off-site.

In an effort to be consistent with other EAAs in the LDW that have addressed transloading facilities, I have been looking at the process Slip 4 used for transloading facility BMPs associated with that work. As such- I will want a copy of the King County Discharge Authorization if they are intending to put any discharges in to their system as part of the transloading process, and will be requesting that prior to approving the Work Plan. I will also want confirmation that the contractor has its staff appropriately trained (HAZWOPER) to handle/work around contaminated waste prior to approving the Work Plan.

Amy left me a VM about a meeting on Thursday. As I noted- I am going to be working from home, but can certainly do a conference call. However- it is all dependent on having the information about the transloading- will we have it before then?

Thanks

Becky

Rebecca Chu | Remedial Project Manager
United States Environmental Protection Agency
Region 10
1200 Sixth Ave Suite 900
ECL-111
Seattle, WA 98101
(206) 553-1774 
chu.rebecca@epa.gov